

MONOGRAM

Home Appliances



ABOUT US

Monogram performed extensive research before putting pen to paper on our latest designs and products. after careful consideration, we developed three main pillars to support our new look and feel: Materials, Performance and efficiency... Each of these upholds our commitment to high quality, innovation and our ongoing relationships with consumers. Through these pillars also with providing our new collections, we-ve created a luxury brand experience which can be touched with all senses.


PERFORMANCE

Every Monogram appliance provides the same experience in your kitchen as it does with international chefs. Through rigorous testing, we learn the limits of our products and make them to last well beyond. well trained employees in our central office inform consumers and sales agents through demonstrations on our actual products with educational clips and videos, also at events across the world, we let our appliances speak for themselves as celebrity chefs create real meals for our guests and visitors.

OWNERSHIP

One of the most important functions that we do in Monogram companies is to make our appliance ownership to an enjoyable experience. For those times when you need service, our certified technicians will be at your front door to ensure your appliance receives first-class maintenance. In fact, every service project is overseen by a Monogram Service Agent who is dedicated to your project from start to finish to ensure that all work is completed to our standards, and

So with Monograms after-sales service, you will never have to worry about anything, because we will albe there for you.







MGBO-7213XGE PRO



Measurements (in mm)

Product Dimensions (HxWxD) 596 x 595 x 546 mm Control Panel Height: 96 mm Installation Dimensions (HxWxD) 595 x 560 x 550 mm

Technical Information

Cavity: 72 L Electronic Power: 3.2k W Voltage: 220 – 240V Power Frequency: 50/60Hz/16A Lamp Power: 25*2 W

Performance

31 Auto recipes 10 Airfry Auto Menu 12 Heating Methods

- Conventional
- Convention
- Conventional+FanSingle Grill
- Double Grill+Fan
- Double Grill
- Pizza
- Bottom HeatingDefrost
- Eco
- Fermentation
- clean

Features

Full Touch Control

Colorful Menu Display & control
Temperature Proposal
Automatic Rapid Heating Up
Forced Cooling System
Seanless Ceramic Cavity
Removable Racks With Easy to
Use Clips
Child Safety Lock
Window Temperature: 30-40°C
Glass Door: 3 Layer Movable Glass

Included Accessories

Gentle Obpen/Close Door

- 1 x Grill Rack
- 2 x Grill tray
 1 x Air Fry Basket
- 2 x Slide rail
- 1 x Probe



MGBO-7213X/BGE





Measurements (in mm)

595 x 594 x 548 mm Depth with Door Open (D) 1040 mm Installation Dimensions (HxWxD) 585 - 595 x 560 - 568 x 550 mm

Product Dimensions (HxWxD)

Technical Information

Cavity: 77 L Total Connected Load: 3.6W Voltage: 220 - 240V Power Frequency: 50/60Hz/16A

Performance

- 11 Heating Methods
- Conventional Heat
- Hot Air Grilling • Full Width Grill
- Half Width Grill
- Pizza Setting
- Bottom Heat
- Low Temperature Cooking
- Defrost
- Keep Warm Preheating
- Hot Air Gentle

08 PRODUCTS Oven



Features

Touch Control

Electronic Clock

Perfect Roast Plus

Temperature Proposal

Glass Door Panel: 2 Lavers

Removable Glass Door

Cleaning Functions

Included Accessories

Eco Clean Direct

Cleaning Aid

Drying

LED Display

MGBO-750314X/BGE





Measurements (in mm)

Product Dimensions (HxWxD) 595 x 594 x 548 mm Depth with Door Open (D) 1040 mm Installation Dimensions (HxWxD) Automatic Rapid Heating Up 585 - 595 x 560 - 568 x 550 mm Supporting Systems: Dish Assist Max. Window Temperature: 30°C

Technical Information

Cavity: 77 L Total Connected Load: 3.6W Voltage: 220 - 240V Power Frequency: 50/60Hz/16A

Performance

- 11 Heating Methods
- Conventional Heat
- Hot Air Grilling
- 1 x Multipoint Meat Probe • Full Width Grill
- 1 x Combination Grids Half Width Grill • 1 x Universal Pan
- Pizza Setting • 1 x Enamel Baking Tray
 - Bottom Heat Low Temperature Cooking
 - Defrost Keep Warm
 - Preheating
 - Hot Air Gentle Conventional Heat Gentle
 - Rotisserie
 - Active Heat

Features

Touch Control Control Ring **LED Display Electronic Clock** Temperature Proposal Perfect Roast Plus Automatic Rapid Heating Up Supporting Systems: Dish Assist Soft Move Door Max. Window Temperature: 30°C Glass Door Panel: 3 Layers Removable Glass Door

Cleaning Functions

Eco Clean Direct Cleaning Aid Drying

Included Accessories

- 1 x Multipoint Meat Probe
- 1 x Combination Grids
- 1 x Universal Pan
- 2 x Slide rail
- 1 x rotisserie

MGBO-7222XGE



Measurements (in mm)

Product Dimensions (HxWxD) 595 x 594 x 548 mm Depth with Door Open (D) 1040 mm Installation Dimensions (HxWxD) 585 - 595 x 560 - 568 x 550 mm Technical Information

Cavity: 77 L Total Connected Load: 3.6W Voltage: 220 - 240V Power Frequency: 50/60Hz/16A

Performance

- 8 Heating Methods
- Conventional Heat
- · Hot Air Grilling
- Full Width Grill • Half Width Grill
- Pizza Setting
- Bottom Heat
- Low Temperature Cooking
- Preheating



Measurements (in mm)

Product Dimensions (HxWxD) 595 x 594 x 548 mm Depth with Door Open (D) 1040 mm Installation Dimensions (HxWxD) 585 - 595 x 560 - 568 x 550 mm

Technical Information

Cavity: 77 L Total Connected Load: 3.6W Voltage: 220 - 240V Power Frequency: 50/60Hz/16A

11 Heating Methods

Included Accessories

• 1 x Combination Grids

Features

Touch Control

Control Ring

Electronic Clock

Temperature Proposal

Automatic Rapid Heating Up

Glass Door Panel: 2 Layers

Cleaning Functions

Eco Clean Direct

Cleaning Aid

Drying

Supporting Systems: Dish Assist

Max. Window Temperature: 30°C

Perfect Roast Plus

LED Display

- 1 x Enamel Baking Tray
- 1 x Universal Pan

Performance

- Conventional Heat
- Hot Air Grilling
- Full Width Grill
- Half Width Grill
- Pizza Setting
- Bottom Heat Low Temperature Cooking
- Defrost
- Preheating
- Keep Warm Hot Air Gentle



Features

Touch Control

Control Ring

LED Display

30°C

Electronic Clock

Temperature Proposal

Automatic Rapid Heating Up

Max. Window Temperature:

Glass Door Panel: 3 Layers

Removable Glass Door

Cleaning Functions

Included Accessories

• 1 x Combination Grids

• 1 x Enamel Baking Tray

• 1 x Universal Pan

Eco Clean Direct

Cleaning Aid

Drying

Supporting Systems: Dish Assist

Perfect Roast Plus





MGBO-7222XGE PRO



Measurements (in mm)

Product Dimensions (HxWxD) 596 x 595 x 566 mm Control Panel Height: 96 mm Installation Dimensions (HxWxD) 590 x 560 x 550 mm

Technical Information

Cavity: 72 L Electronic Cavity(Conventional): 1.06k W Electronic Cavity(Forced Air): 0.69k W Voltage: 220 - 240V

Power Frequency: 50/60Hz/16A Lamp Power: 25*2 W

Performance

37 Typical recipes 12 Test food recipes

8 Eco Cooking Programs

10 Heating Methods

- Conventional
- Convention
- Conventional+Fan
- Radiant Heat
- Double Grill+Fan
- Double Grill
- Pizza
- Bottom Heating Defrost
- Eco





Features

Clips

Touch Control With 2 Knobs

Automatic Rapid Heating Up

Removable Racks With Easy to Use

Window Temperature: 30-40°C

Glass Door: 3 Layer Movable Glass

Temperature Proposal

Forced Cooling System

Removable Door

Child Safety Lock

• 1 x Grill Rack

• 2 x Slide rail

• 1 x Universal Pan

Full Glass Inner Door

Gentle Obpen/Close Door

Included Accessories

• 1 x Enamel Baking Tray

Seanless Ceramic Cavity

MGBO-7511XGE PRO



Measurements (in mm)

Product Dimensions (HxWxD) 595 x 594 x 548 mm Depth with Door Open (D) 1040 mm Installation Dimensions (HxWxD) 585 - 595 x 560 - 568 x 550 mm

Technical Information

Cavity: 77 L Total Connected Load: 3.6W Voltage: 220 - 240V Power Frequency: 50/60Hz/16A

Performance

9 Auto Programs 10 Airfry Auto Menu

- 13 Heating Methods
- Conventional
- Conventional+Fan
- Conventional Eco
- Bottom Heating
- Top Heat
- Snall Grill
- Large Grill • Large Grill+Fan
- Grill+Fan
- Convention
- Convention Eco Bottom Heater+Fan
- Defrost

Features

Touch Control TFT Display **Electronic Clock** Temperature Proposal Automatic Rapid Heating Up Forced Cooling System **Seanless Ceramic Cavity** Removable Racks With Easy to Use Clips Removable Door Full Glass Inner Door Window Temperature: 30-40°C Glass Door: 3 Layer Movable Glass

Safty

· Child Safety Lock

Gentle Obpen/Close Door

- Safty Switch Off
- Forced Cooling System

Included Accessories

- 1 x Grill Rack
- 2 x Grill tray
- 1 x Air Fry Basket
- 2 x Slide rail
- 1 x Probe



MGBO-7315XGE



Measurements (in mm)

Product Dimensions (HxWxD) 595 x 594 x 548 mm Depth with Door Open (D) 1040 mm Installation Dimensions (HxWxD) 585 - 595 x 560 - 568 x 550 mm **Technical Information**

Cavity: 77 L Total Connected Load: 3.6W Voltage: 220 - 240V Power Frequency: 50/60Hz/16A

Performance

- 13 Heating Methods Conventional Heat
- Hot Air Grilling
- Full Width Grill
- Half Width Grill
- Pizza Setting
- Bottom Heat
- Low Temperature Cooking
- Defrost
- Keep Warm Preheating
- · Hot Air Gentle
- Eco
- Active Heat

Features

Touch Control LED Display **Electronic Clock** Temperature Proposal Soft Move Door Perfect Roast Plus Automatic Rapid Heating Up Supporting Systems: Dish Assist Max. Window Temperature: 30°C Glass Door Panel: 2 Layers Removable Glass Door

Cleaning Functions

Self Clean Direct Cleaning Aid Drying

Included Accessories

- 1 x Combination Grids
- 1 x Universal Pan
- 1 x Enamel Baking Tray
- 1 x Telescopic Rail
- 1 x Multipoint Meat Probe







MGBM-4411 X/BGE





Measurements (in mm)

Product Dimensions (HxWxD) 455 x 594 x 548 mm Depth with Door Open (D) 920 mm Installation Dimensions (HxWxD) 450 - 455 x 560 - 568 x 550 mm

Technical Information

Cavity: 50L Microwave (Watts): 90, 180, 360, 600, 900 Total Connected Load: 3.6W Voltage: 220 - 240V

Performance

13 Cooking Program

3 Defrost-program

8 Heating Methods

Bottom Heating

Conventional Heat

Conventional Heat Gentle

• Grill, Large Area Grill, Small Area

Hotair Gentle

• Hotair Grill

 Preheating Microwave

Microwave + Hotair Grill

Microwave + Conventional Heat

Features

Touch Control LED Display **Electronic Clock** Automatic Switch-Off World of Recipes Hot Air Gentle Supporting Systems: Dish Assist **Cleaning Assistance** Inverter Magneton Assistance Function Cooking Tips Max. Window Temperature: 40°C

Cleaning Functions

Glass Door Panel: 2 Layers

Cleaning Aid Drying

Included Accessories

• 1 x Combination Grids

• 1 x Universal Pan

• 1 x Glass Pan



MGBM-4433X/BGE





Measurements (in mm)

Product Dimensions (HxWxD) 455 x 594 x 548 mm Depth with Door Open (D) 920 mm Installation Dimensions (HxWxD) 450 - 455 x 560 - 568 x 550 mm

Technical Information

Cavity: 50L Microwave (Watts): 90, 180, 360, 600, 900 Total Connected Load: 3.6W Voltage: 220 - 240V

Output (grill): Max 1650 W

Performance

13 Cooking Program 3 Defrost-program

8 Heating Methods Bottom Heating

Conventional Heat

Conventional Heat Gentle

• Grill, Large Area Grill, Small Area

• Hotair Gentle

 Hotair Grill Preheating

 Microwave Microwave + Hotair Grill

Microwave + Conventional Heat

Features

Touch Control LED Display **Electronic Clock** Automatic Switch-Off World of Recipes Hot Air Gentle Hot Air Gentle **Cleaning Assistance Inverter Magneton** Assistance Function Cooking Tips Max. Window Temperature: 40°C Glass Door Panel: 2 Layers

Cleaning Functions

Cleaning Aid Drying

Included Accessories

• 1 x Combination Grid

• 1 x Universal Pan • 1 x Glass Pan



MGBM-5006BGE



Measurements (in mm)

Product Dimensions (HxWxD) 455 x 594 x 548 mm Depth with Door Open (D) 920 mm Installation Dimensions (HxWxD) 450 - 455 x 560 - 568 x 550 mm

Technical Information

Cavity: 50L Microwave (Watts): 90, 180, 360, 600,900 Voltage: 220 - 240V Power Frequency: 50Hz/16A

Performance

13 Cooking Program

3 Defrost-program

8 Heating Methods

Conventional Heat

Conventional Heat Gentle

Grill, Large Area

• Grill, Small Area

Bottom Heat

Hotair Gentle

Hotair Grill

 Preheating Microwave

Microwave + Hotair Grill

Microwave + Conventional Heat

Features

Touch Control Control Ring **LED Display** Electronic Clock Automatic Switch-Off World of Recipes **Hotair Gentle** Supporting Systems: Dish Assist

Cleaning Assistance

Inverter Magneton Assistance Function Cooking Tips

Max. Window Temperature: 40°C Glass Door Panel: 2 Layers

Cleaning Functions

Cleaning Aid Drying

Included Accessories

• 1 x Combination Grids

• 1 x Universal Pan • 1 x Glass Pan

MGBM-4512XGE

Product Dimensions (HxWxD) 455 x 594 x 548 mm Depth with Door Open (D) 920 mm Installation Dimensions (HxWxD)

450 - 455 x 560 - 568 x 550 mm

Measurements (in mm)

Technical Information

Cavity: 38L Microwave (Watts): 1000 W Voltage: 220 - 240V Output (grill): Max 1650 W

Performance

Microwave

 Defrost By Weight Defrost By Time

Grilling

• Microwave + Grilling

• Pizza

Features

Fully sensor touch control LED Fully electronic display cooking Duration setting digital clock Automatic cut-off timer door Interlock stainless steel 3 layers glass door Child lock system

Cleaning Functions

Cleaning Aid Drying

Included Accessories

• 1 x drive shaft

• 1 x swivel subassembly • 1 x grilling rack

• 1 x baking tray

• 1 x turntable





14 PRODUCTS Combi 15

MGBM-4411XGE PRO



Measurements (in mm)

Features

Touch Control

Electronic Clock

Cleaning Assistance

Assistvance Function

Gentle Obpen/Close Door

Seanless Ceramic Cavity

Removable Door

Full Glass Inner Door

Child Safety Lock

Safty Switch Off

Included Accessories

Window Temperature: 30-40°C

Glass Door: 3 Layer Movable Glass

Removable Racks With Easy to Use

Hot Air Gentle

Clips

Safty

TFT Display

Product Dimensions (HxWxD) 455 x 594 x 548 mm Depth with Door Open (D) 920 mm Installation Dimensions (HxWxD) 450 - 455 x 560 - 568 x 550 mm

Technical Information

Cavity: 50L Microwave (Watts): 90, 180, 360, 600, 900 Grill Power (Watts): 2200 Convection Power (Watts): 1700 Total Connected Load: 3.6W Voltage: 220 - 240V Power Frequency: 50Hz/16A

Performance

23 Auto Recipes 12 Cooking Program 8 Heating Methods

- Bottom Heating
- Conventional Heat
- Conventional Heat Gentle
- Grill, Large Area
- Grill, Small Area
- Hotair Gentle
- Hotair Grill
- Preheating
- Microwave
- Microwave + Hotair Grill

MGBM-4433XGE PRO



Measurements (in mm)

Product Dimensions (HxWxD) 455 x 594 x 548 mm Depth with Door Open (D) 920 mm Installation Dimensions (HxWxD) 450 - 455 x 560 - 568 x 550 mm

Technical Information

Cavity: 50L Microwave (Watts): 90, 180, 360, 600, 900 Grill Power (Watts): 2200 Convection Power (Watts): 1700 Total Connected Load: 3.6W Voltage: 220 - 240V Power Frequency: 50Hz/16A

Performance

13 Auto Recipes 9 Cooking Program 8 Heating Methods

- Bottom Heating
- Conventional Heat
- Conventional Heat Gentle
- Grill, Large Area • Grill, Small Area
- Hotair Gentle
- Hotair Grill
- Preheating
- Microwave
- Microwave + Hotair Grill

Features

Touch Control LED Display **Electronic Clock** Hot Air Gentle Cleaning Assistance Assistvance Function Window Temperature: 30-40°C Gentle Obpen/Close Door Glass Door: 3 Layer Movable **Seanless Ceramic Cavity** Removable Racks With Easy to Use Clips

Safty

- Child Safety Lock
- Safty Switch Off

Removable Door

Full Glass Inner Door

Included Accessories

- 1 x Grill Rack
- 1 x Grill tray • 1 x Glass Pan

MGBM-5006XGE PRO



Measurements (in mm)

Product Dimensions (HxWxD) 455 x 594 x 548 mm Depth with Door Open (D) 920 mm Installation Dimensions (HxWxD) 450 - 455 x 560 - 568 x 550 mm

Technical Information

Cavity: 50L Microwave (Watts): 90, 180, 360, 600, 900 Grill Power (Watts): 2200 Convection Power (Watts): 1700 Total Connected Load: 3.6W Voltage: 220 - 240V Power Frequency: 50Hz/16A

Performance

13 Auto Recipes 9 Cooking Program 8 Heating Methods

- Bottom Heating
- Conventional Heat
- · Conventional Heat Gentle
- Grill, Large Area Grill, Small Area
- Hotair Gentle
- Hotair Grill
- Preheating Microwave
- Microwave + Hotair Grill

Features

Touch Control With 2 Knobs LED Desplay **Electronic Clock** Hot Air Gentle Cleaning Assistance Assistvance Function Window Temperature: 30-40°C Gentle Obpen/Close Door Glass Door: 3 Layer Movable Glass **Seanless Ceramic Cavity** Removable Racks With Easy to Use Clips Removable Door Full Glass Inner Door

Safty

- · Child Safety Lock
- Safty Switch Off

Cleaning Functions

Cleaning Aid Drying









MGBM-26XGE



Measurements (in mm)

Product Dimensions (HxWxD) 455 X 594 X 420 mm Depth with Door Open (D) 895 mm Installation Dimensions (HxWxD) 410 X 560-568 X 390 mm

Technical Information

Cavity: 26L Microwave (Watts): 90,180,360,600,900 Total Connected Load: 1.2 W Voltage: 220 – 240V Power Frequency: 50hz/60hz/10A

Performance

Warm Defrost

Features

Performance

6 Function

Dinnerware

Slow Cooking

19 Slow Cook Options

Bread Dough Proofine

Defrosting & Softening

Keeping Drinks & Food Warm

Pre-Warming & Sterilizing

Yogurt Preparation

19 Heating Methods

Touch Control
Control Ring
LED Display
Quick Start
7 Automatic Programs
Weight Control
Cleaning Assistance
Easy Clean
Clock / Timer
Cook Control

MGBM-2808XGE



Measurements (in mm)

Product Dimensions (HxWxD) 455 X 594 X 420 mm Depth with Door Open (D) 895 mm Installation Dimensions (HxWxD) 410 X 560-568 X 390 mm

Technical Information

Cavity: 26L
Microwave (Watts):
90,180,360,600,900
Total Connected Load: 1.2 W
Voltage: 220 – 240V
Power Frequency: 50hz/60hz/10A

Performance

Warm Defrost

Features

Touch Control
Control Ring
LED Display
Quick Start
7 Automatic Programs
Weight Control
Cleaning Assistance
Easy Clean
Clock / Timer
Cook Control

MGBW-44BGE



Measurements (in mm)

Product Dimensions (HxWxD) 140 X 594 X 518 mm Installation Dimensions (HxWxD) 140-140x560-568x550mm

Technical Information

Total Connected Load: 1000W Cavity: 22 L Voltage: 220 – 240V Power Frequency: 50/60hz/10A

Features

Push-pull Mechanism Full Touch Digital Control Temperature Adjustment: 30 - 80°C Loading Up To 25kg

MGBW-11XGE



Measurements (in mm)

Product Dimensions (HxWxD) 140 X 594 X 518 mm Installation Dimensions (HxWxD) 140-140x560-568x550mm

Technical Information

Total Connected Load: 820W Voltage: 220 – 240V Power Frequency: 50/60hz/10A

Features

Push-pull Mechanism Heating Plate Made Of Toughened Glass Loading Up To 25kg

Performance

Slow Cooking 3 Heating Methods

Cup WarmingPlate Warming

• Flate Wall

Warming



Built-in **Coffee Machine**

Welcome to the luxurious life. With monogram coffee maker you have actually brought a coffee shop into your kitchen and you will be able to drink espresso, latte, americano, cappuccino, macchiato and mocha anytime you want... enjoy.

MGBC-01XGE PRO



MGBC-01XGE





Measurements (in mm)

Product Dimensions (HxWxD) 455 X 594 X 450 mm Installation Dimensions (HxWxD) 450 X 560 X 420 mm

Technical Information

Capacity Water Container: 1.8l Voltage: 220 - 240V Power Frequency: 50/60hz/10A

Performance

Boiler: Single Boiler Water Pump With 19 Bar Wi-Fi Model: Built-in

Capacity

Water Tank Capacity: 2.4L Milk Tank Capacity: 500 ml Coffee Bean Hopper Capacity: 500g Water Box Capacity: 10-15 Servings

Cleaning Functions

Automatic calc clean Removable Brewing Unit Dishwasher-proof **Automatic Reminder For Cleaning** Descaling Or Water Filter Change

Features

Touch Control TFT Display **Favourites** Mix Beverages Onetouch Doublecup Adjustable Milk Ratio For Classic Milk, Warm Milk, Milk Froth And Hot Water 10 Automatic Preset Beverages 20 Customizable drinks Manually Aroma Select Aromadouble Shot

Intelligent Strength Adjustment

Height Adjustable Beverage Outlet

Telescopic Raile Function Flavors: 11 Different Options Grongd Level Adjustment: Fully Adjustable With Variable Speed

Milk Tank Temperature: Room Temperature

ment Via Menu

Milk Foam Option: Digital Adjust-

Measurements (in mm)

Product Dimensions (HxWxD) 455 X 594 X 450 mm Installation Dimensions (HxWxD) 450 X 560 X 420 mm

Technical Information

Capacity Water Container: 1.8l Voltage: 220 - 240V Power Frequency: 50/60hz/10A

Performance

Silentcream Drive Water Pump With 19 Bar Pressure

Cleaning Functions

Automatic calc clean Removable Brewing Unit Dishwasher-proof Automatic Reminder For Cleaning Descaling Or Water Filter Change

Features

Touch Control Digital Control Ring LED Display Coffee World Favourites Up To 10 Beverages Aroma Select **Aromadouble Shot** Intelligent Strength Adjustment Onetouch Doublecup Adjustable Milk Ratio For Classic Mix Beverages Warm Milk, Milk Froth And Hot Function Height Adjustable Beverage Outlet

Telescopic Raile Function

Grinder 5 Leves

Built-in Washing Machine

With great effort, we managed to create one of the best possible washing machines in the entire world for our customers, in such a way that not only brought cleanliness and softness to all kinds of clothes with different washing programs, but also the drum is one of the best kinds that caused the least possible damage to the fabric of clothes duration using monogram washing machines.



BWD-B1209G



Measurements (in mm)

Product Dimensions (HxWxD) 886 X 600 X 550 mm Installation Dimensions (HxWxD) 825 X 595 X 500vv mm

Technical Information

Washing Capacity: 8 Kg Drying Capacity: 5 kg Voltage: 220 – 230V Power Frequency: 50/60hz/16A

Features

- Prewash
- Fast+
- DryingBluetooth
- DrumClean+
- SteamCureChild Lock
- AntiCrease+

Performance

- 15 Programs
- Cottons Programme
- Cottons Eco ProgrammeSynthetics Programme
- Woollens / Hand Wash
- Programme
- Daily Xpress / Xpress Super Short
 14 min Programme
- Shirts Programme
- Downloaded Programme
- Spin & Pump Programme
- Rinse Programme
- Cottons Wash & Dry ProgrammeSynthetics Wash &
- Dry Programme
- 5 kg Wash & Dry Programme
- Hygiene+ Wash & Dry ProgrammeWash & Wear Programme
- Hygiene Air Refresh

MOBD-1563XG



Measurements (in mm)

Product Dimensions (HxWxD) 820 X 600 X 560 mm Installation Dimensions (HxWxD) 820 X 595 X 550 mm

Features

- 60cm Fully Integrated Dis washer
- 12/14 Place Setting Capacity
- Stainless Steel InteriorElectronic Control With LED
- Display
- Water Overflow Protection
- Height Adjustable Upper Basket
- Child Lock; 3 In 1 Included

Performance

- 7 Programs
 Intensive
- IntensiveNormal
- Economic
- Rapid & Pre-rinse
- Crystal
- 60 Min
- Rapid







MBRF-550XGE

Measurements (in mm) Total volume (L): 550

Freezer (L): 210 Fridge (L): 340 Product Dimension (HxWxD): 1853 x 906 x 560 Installation Dimensions (HxWxD): 1858 x 906 x 570

Features

Patent Technology **Food Safty Certificate** Classic Sus 304 Food Level Stainless Steel Vegetabel Box/Drawer/Rack **Double Door Big Capacity** Hittch Hinge



MBF-250GE

Measurements (in mm)

Product Dimensions (HxWxD) 1785 x 560 x 550 mm Installation Dimensions (HxWxD) 1776 x 540 x 540 mm Total volume (L): 250

Features

- Energy Grade: A
- · Color: White
- Sound 42 Db
- Number Of Drawer: 7
- No Frost
- European Plug



MBR-350GE

Measurements (in mm)

Product Dimensions (HxWxD) 1785 x 560 x 550 mm Installation Dimensions (HxWxD) 1776 x 540 x 540 mm Total volume (L): 350

Features

- Energy Grade: A
- Color: White
- Sound 42 Db
- Number Of Shelves: 5
- Number Of Drawer: 2
- No Frost
- European Plug

MBF-260XGE

Measurements (in mm)

Product Dimensions (HxWxD) 1870 x 553 x 559 mm Installation Dimensions (HxWxD) 1875 x 563 x 564 mm Total volume (L): 260

Features

- Energy Grade: A · Color: Silver
- Sound 42 Db
- No Frost
- · High Efficiency Inverter Compressor
- Ag+ Antibiosis
- Sus 304 Food Level
- Stainless Steel
- Drawer/Hettich Hinge
- Bottom Directly Heat • Transfer/ Easy Install
- Unique 5 Stainless Steel Drawer

Design

- Smart fridge
- · Freezing zone



MBR-360XGE

Measurements (in mm)

Product Dimensions (HxWxD) 1870 x 553 x 559 mm Installation Dimensions (HxWxD) 1875 x 563 x 564 mm Total volume (L): 360

Features

- Energy Grade: A
- · Color: Silver
- Sound 42 Db
- No Frost
- European Plug
- High Efficiency Inverter Compressor
- Ag+ Antibiosis
- Sus 304 Food Level
- Stainless Steel
- Drawer/Hettich Hinge Bottom Directly Heat
- Transfer/ Easy Install
- Unique 3 Stainless Steel Drawer Design



MBF-276GE

Measurements (in mm)

Product Dimensions (HxWxD) 1770 x 545 x 556 mm Installation Dimensions (HxWxD) 1850 x 625 x 588 mm Total volume (L): 276

Design & Material

• Door Panel: Metal/Wood • Metal Back: Yes

Features

- Energy Grade: F
- Color: White
- Sound 38 Db
- Temperature Control: Electronic
- Temperature Range (°C): -25 to -14
- Number of Drawer: 8
- Interiur LED Lightin: Yes
- External Display: Yes
- Supper Freez Function: Yes
- Door Open Alarm: Yes
- Safety Glass Shelves: Yes
- Defrost System: Yes



MBR-308GE

Measurements (in mm)

Product Dimensions (HxWxD) 1870 x 553 x 559 mm Installation Dimensions (HxWxD) 1875 x 563 x 564 mm Total volume (L): 308

Design & Material

- Door Panel: Metal/Wood
- Metal Back: Yes

Features

- Energy Grade: E
- Color: White Sound 38 Db
- Temperature Control: Electronic
- Temperature Range (°C): 0 to 10
- Number of Drawer: 3
- Number Of Shelves: 5
- Safety Glass Shelves: Yes Holiday Mood: Yes
- AirFlow Cooling System: Yes
- Food Strong Drawer: Yes
- Interior LED Lightin: Yes
- External Display: Yes Supper Freez Function: Yes
- Door Open Alarm: Yes
- Defrost System: Yes

28 PRODUCTS Fridge & Freezer 29



MBR-110GE

Measurements (in mm)

Product Dimensions (HxWxD) 820 x 595 x 545 mm Installation Dimensions (HxWxD) 830 x 605 x 550 mm Total volume (L): 110

Features

- Energy Grade: A
- · Color: White
- Sound 42 Db
- Number Of Shelves: 3
- European Plug • Safety Glass
- Soft Closing Door



MBR-135GE

Measurements (in mm)

Product Dimensions (HxWxD) 820 x 595 x 550 mm Installation Dimensions (HxWxD) 880 x 655 x 585 mm Total volume (L): 135

Design & Material

- Door Panel: Metal/Wood
- Metal Back: Yes

Features

- Energy Grade: E
- · Color: White • Sound 38 Db
- Temperature Control: Electronic
- Defrost System: Yes
- Temperature Range (°C): 2 to 10
- Number Of Shelves: 3 • Safety Glass Shelves: Yes
- Interior LED Lightin: Yes
- External Display: Yes
- Supper Freez Function: Yes
- Door Open Alarm: Yes
- Defrost System: Yes



MBCR-275GE

Measurements (in mm)

Product Dimensions (HxWxD) 1770 x 540 x 545 mm Installation Dimensions (HxWxD) 1776 x 558 x 560 mm Total volume (L): 275

Design & Material

- Door Panel: Metal/Wood
- Metal Back: Yes

Features

- Energy Grade: E
- Color: White
- Sound 38 Db
- Temperature Control: Electronic
- Refrigerator Temperature Range (°C): 2 to 10
- Freezer Temperature Range(°C): -25 to -14
- Exact Temperature Setting (°C): 0, 2, 4
- Number of Drawer: 4
- Number Of Shelves: 4
- Safety Glass Shelves: Yes
- Holiday Mood: Yes
- AirFlow Cooling System: Yes
- Food Strong Drawer: Yes
- Interior LED Lightin: Yes
- External Display: Yes
- Supper Freez Function: Yes • Door Open Alarm: Yes
- Defrost System: Yes



MBRC-430GE

Measurements (in mm)

Total volume (L): 238 Freezer (L): 69 Fridge (L): 169

Product Dimensions (HxWxD) 1770 x 540 x 545 mm Installation Dimensions (HxWxD)

1776 x 558 x 560 mm


Features

- Energy Grade: A
- Color: White Sound 42 Db
- No Frost
- High Efficiency Inverter Compressor
- Safety Glass
- Easy Lift
- Drawer/Hettich Hinge
- Bottom Directly Heat
- Transfer/ Easy Install • Unique 3 Drawer Design
- Smart fridge
- Super Freezing
- Super Cooling



30 PRODUCTS Fridge & Freezer







MBF63W24E

Measurements (in mm)

Product Dimensions (HxWxD) 1770 x 556 x 575 mm Installation Dimensions (HxWxD) 1850 x 625 x 640 mm Total volume (L): 305

Options

- Different kinds Door Frames
- Different kinds Of Shelves
- OLED Display Panel

Features

- 67 Bottles
- Temp Range: 5~ 22° C
- 5 inch TFT Touch Panel
 Top RGB LED Lighting
- Dynamic Climate Control System
- Stainless Steel Air Deflector
- Service Zone
- Soft Cosing Hinge
- Beech Shelf With Telescopic Slider

Measurements (in mm)

Product Dimensions (HxWxD) 448*455 x 545*590 x 554 mm Installation Dimensions (HxWxD) 542 x 653 x 542 mm Total volume (L): 63

Options

- Different kinds Door Frames
- Different kinds Of Shelves
- Different kinds Display Panel
- Regular Door Open Way
- Different Color Lighting

Features

- 24 Bottles
- Temp Range: 5~ 22° C
- 2.9 inch TFT Touch Panel
- Three Color LED Lighting On Both Slies
- Dynamic Climate Control System
- Sofr Closing Hinge
 Peoch Sholf With Slide
- Beech Shelf With Slider
- Built in ventilation system fits with any kind of cabinet Seamless



DC DUAL BLACK



Measurements (in mm)

Product Dimensions (HxWxD) 793 x 292 x 300 mm Installation Dimensions (HxWxD) 775 x 275 x 290 mm

Features

- Kitchen Cupboard Installation
- Rim Ventilation
- Full Touch Button Control
- 4 Power Levels
- LED Light
- Power of Suction 750 m3/h
- Glass Frame
- Silence Bakelite Fan
- Washable Filter

DC DUAL WHITE



Measurements (in mm)

Product Dimensions (HxWxD) 793 x 292 x 300 mm Installation Dimensions (HxWxD) 775 x 275 x 290 mm

Features

- · Kitchen Cupboard Installation
- Rim Ventilation
- Full Touch Button Control
- 4 Power Levels
- LED Light
- Power of Suction 750 m³/h
- Glass Frame
- Silence Bakelite Fan Washable Filter

Measurements (in mm)


OMEGAX

Product Dimensions (HxWxD) 700 x 300 x 310 mm Installation Dimensions (HxWxD) 640 x 255 x 295 mm

Features

- Kitchen Cupboard Installation
- Rim Ventilation 4 Power Levels
- 2 LED Lights
- Power of Suction 780 m³/h • Stainless Steel Frame
- Silence Bakelite Fan
- Washable Filter

KONVEX BLACK



Measurements (in mm)

Product Dimensions (HxWxD) 793 x 292 x 300 mm Installation Dimensions (HxWxD) 775 x 275 x 290 mm

Features

- · Kitchen Cupboard Installation
- Rim Ventilation
- Full Touch Button Control 4 Power Levels
- 2 LED Lights
- Power of Suction 750 m³/h
- Glass Frame • Silence Bakelite Fan
- Washable Filter

KONVEX SILVER




Measurements (in mm)

Product Dimensions (HxWxD) 793 x 292 x 300 mm Installation Dimensions (HxWxD) 775 x 275 x 290 mm

Features

- Kitchen Cupboard Installation
- Rim Ventilation
- Full Touch Button Control
- 4 Power Levels
- 2 LED Lights
- Power of Suction 750 m³/h
- Glass Frame
- Silence Bakelite Fan
- Washable Filter



MGBH-905GB88GE

Measurements (in mm)

Product Dimensions (LxWxH) 900 x 520 x 55 mm Installation Dimensions (LxWxH) 860 x 480 x 55 mm

Specifications

Total power(W): 8600 W Left up power(W): 1200 W

Left down zone(W): 2400 W (800+800+800) Middle zone(W): 2000 W (1100+900)

Right up zone(W): 1200 W Right down zone(W): 1800 W Housing: Metal Housing Glass: Kanger



MGBH-604GB86GE

Measurements (in mm)

Product Dimensions (LxWxH) 590 x 520 x 55 mm Installation Dimensions (LxWxH) 560 x 490 x 55 mm

Specifications

Total power(W): 7000 W 1800 W Left up power(W):

Left down zone(W): 2000 W (1000+1000) 2000 W (1100+900) Right up zone(W):

Right down zone(W): 1200 W Housing: Metal Housing Glass: Kanger



MGBH-302GB83GE

Measurements (in mm)

Product Dimensions (LxWxH) 295 x 510 x 55 mm Installation Dimensions (LxWxH) 270 x 480 x 55 mm

Specifications

3200 W Total power(W):

up zone(W): 2000 W (1100+1100)

1200 W down zone(W): Housing: Metal housing Glass: Kanger













MGBH-915 XS 51 GE

Measurements (in mm)

Product Dimensions (LxWxH) 860 x 510 x 85 mm Installation Dimensions (LxWxH) 830 x 480 x 85 mm With Defendi Burner Stainless Steel Panel Cast Iron Pan Support Metal Knob

MGBH-915XS 52GE

Measurements (in mm)

Product Dimensions (LxWxH)
909 x 510 x 85 mm
Installation Dimensions (LxWxH)
870 x 480 x 85 mm
With Defendi Burner
Stainless Steel Panel With Alu. Fornt Panel
Cast Iron Pan Support
Metal Knob

MGBH-915XS53GE

Measurements (in mm)

Product Dimensions (LxWxH)
909 x 510 x 85 mm
Installation Dimensions (LxWxH)
870 x 480 x 85 mm
With Defendi Burner
Stainless Steel Panel With Alu. Fornt Panel
Cast Iron Pan Support
Iron Pan Support
Metal Knob

MGBH-604XS29GE

Measurements (in mm)

Product Dimensions (LxWxH)
600 x 515 x 90 mm
Installation Dimensions (LxWxH)
570 x 480 x 85 mm
With Defendi Burner
Stainless Steel Panel With Alu. Fornt Panel
Cast Iron Pan Support
Metal Knob

MGBH-302XS21GE

Measurements (in mm)

Product Dimensions (LxWxH)
500 x 290 x 90 mm
Installation Dimensions (LxWxH)
480 x 270 x 90 mm
With Defendi Burner
Stainless Steel
Cast Iron Pan Support







MGBH-915GB81GE

Measurements (in mm)

Product Dimensions (LxWxH) 865 x 510 x 90 mm Installation Dimensions (LxWxH) 845 x 480 x 90 mm With defendi Burner Tempered Glass Cast Iron Pan Support Metal Knob

MGBH-915GB82GE

Measurements (in mm)

Product Dimensions (LxWxH) 875 x 510 x 90 mm Installation Dimensions (LxWxH) 850 x 480 x 90 mm With Defendi Burner Tempered Glass Panel Cast Iron Pan Support Metal Knob

MGBH-915GB83GE

Measurements (in mm)


Product Dimensions (LxWxH)
860 x 480 x 90 mm
Installation Dimensions (LxWxH)
870 x 480 x 85 mm
With Defendi Normal Burner
Tempered Glass Panel With Alu. Front Panel
Cast Iron Pan Support
Metal Knob

MGBH-905GB75GE

Measurements (in mm)

Product Dimensions (LxWxH) 890 x 520 x 90 mm Installation Dimensions (LxWxH) 860 x 480 x 90 mm With Sabaf Normal Burner Tempered Glass Panel Cast Iron Pan Support

39







Color: Chrome Material: Brass Water outlet: Two Features:

- Filter valve
- Rrotating 360-degree



OLIVIA

Color: Chrome Material: Brass Water outlet: one Features:

Sprayer Included

SMART

Color: Chrome

Features:

Material: SS 304

Water outlet: one

Sprayer Included

Rrotating 360-degree

• 4-way rotation function

• Rrotating 360-degree



Color: Chrome Material: SS 304 Water outlet: Two Features:

Filter valve

DESIGN

- Rrotating 360-degree
- 35 mm Ceramic Cartridge



CROSS

Color: Chrome Material: SS 304 Water outlet: Two Features:

• Filter valve

GALEXY

Color: Chrome

Material: Brass

Features:

Water outlet: One

SS Silione hose

Sprayer Included

Rrotating 360-degree

• Magnetic Holder Base

- Rrotating 360-degree
- 35 mm Ceramic Cartridge



GALILEO

Color: Chrome Material: Brass Water outlet: one Features:

- Sprayer Included
- Rrotating 360-degree



ELEGANT

Color: Chrome Material: Brass Water outlet: One


- Features: Filter valve
- SS Silione hose
- Rrotating 360-degree
- 35 mm Ceramic Cartridge



PROFESSIONAL

Colors: Gray & RED Material: SS 304 Water outlet: One Features:

- Filter valve
- SS Silione hose
- Sprayer Included
- Rrotating 360-degree
- Magnetic Holder Base





ANTIQUE

Colors: Black & Gold Material: SS 304 Water outlet: One Features:

- SS Hose
- Sprayer Included
- Rrotating 360-degree



NOMOS

Colors: Chrome Material: Brass Water outlet: One Features:

- SS Hose
- Sprayer Included
- Rrotating 360-degree



CRISTINA

Colors: Chrome Material: SS 304 Water outlet: One Features:

- SS Hose
- Sprayer Included
- Rrotating 360-degree
- 25 mm Ceramic Cartridge



BASIC

Colors: White * Black Material: SS 304 Water outlet: One Features:

- SS Hose
- Rrotating 360-degree
- 25 mm Ceramic Cartridge



POLYTECH

Colors: Matte Black * Chrome

* Matte Chrome

Material: SS 304 Water outlet: One

Features:

- SS Hose Sprayer Included
- Rrotating 360-degree
- 35 mm Ceramic Cartridge



SWING

Colors: Matte Black * Gold * Matte Chrome Material: Brass Water outlet: Two Features:

- Filter valve
- Rrotating 360-degree



FLEXI

Colors: Matte Black * Gold * Matte Chrome Material: Brass Water outlet: One Features: Rrotating 360-degree

42 PRODUCTS Kitchen Faucet & Sink 43



STYLUX104

Measurements (in mm)

Dimensions 1040x500 mm

Features

- Handmade sink • Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean · Quick & Easy To Instal
- Steel thickness 12 mm
- Movable basin
- Fruit washing basket
- Rolling dish drying rack
- Sink depth 250 mm
- soap dispenser pump

- Sink depth 250 mm
- Steel thickness 12 mm Movable basin
- Fruit washing basket
- Rolling dish drying rack
- Flushmount
- Undermount

PRAKTIK104

Measurements (in mm)

Dimensions 1040*450 mm

· Aisi 304 Stainless Steel

Quick & Easy To Instal

Sound Deadening Technology

Corrosion & Rust Resistant

Features

Handmade sink

• Easy To Clean



STYLUX90

Measurements (in mm)

Dimensions 900x500 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel Sound Deadening Technology
- · Corrosion & Rust Resistant
- Easy To Clean • Quick & Easy To Instal
- Sink depth 250 mm
- Steel thickness 12 mm
- Movable basin
- Fruit washing basket Rolling dish drying rack
- soap dispenser pump
- - · Corrosion & Rust Resistant
 - Easy To Clean
 - Quick & Easy To Instal
- Sink depth 250 mm
- Steel thickness 12 mm
- Fruit washing basket
- Rolling dish drying rack
 - Flushmount
- Undermount



PRAKTIK90



STYLUX74

Measurements (in mm)

Dimensions 740x500 mm

Features

Handmade sink

• Easy To Clean

• Quick & Easy To Instal

- · Aisi 304 Stainless Steel Sink depth 250 mm Sound Deadening Technology Steel thickness 12 mm
- Corrosion & Rust Resistant Fruit washing basket
 - - Rolling dish drying rack · soap dispenser pump



PRAKTIK84

Measurements (in mm)

Dimensions 840*450 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 250 mm Steel thickness 12 mm
- Fruit washing basket
- Rolling dish drying rack
- Flushmount
- Undermount



VARIANT50

Measurements (in mm)

Dimensions 500x400 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel

VARIANT40

Dimensions 440x440 mm

Aisi 304 Stainless Steel

Sound Deadening Technology

· Corrosion & Rust Resistant

Features

Anting Smith

Handmade sink

VARIANT20

Dimensions 400x200 mm

Aisi 304 Stainless Steel

Sound Deadening Technology

Corrosion & Rust Resistant

Features

Handmade sink

Measurements (in mm)

Measurements (in mm)

- Sound Deadening Technology
- Fasy To Clean
- Quick & Easy To Instal
- Sink depth 200 mm Steel thickness 12 mm

Easy To Clean

• Easy To Clean

• Quick & Easy To Instal

Steel thickness 12 mm

Sink depth 200 mm

• Quick & Easy To Instal

Steel thickness 12 mm

Sink depth 200 mm

Corrosion & Rust Resistant



MASTER85

Measurements (in mm)

Dimensions 850*450 mm

Features

- Handmade sink · Aisi 304 Stainless Steel
- Sound Deadening Technology Corrosion & Rust Resistant
- Easy To Clean Quick & Easy To Instal
- Sink depth 250 mm
- Steel thickness 12 mm
- Sink bottom grid
- Undermount



ZOOM

Measurements (in mm)

Dimensions 1160*500 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink denth 250 mm · Steel thickness 12 mm
- Fruit washing basket
- Rolling dish drying rack right tray & left tray



LINE PURE116

Measurements (in mm)

Dimensions 1160*50 0 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- · Corrosion & Rust Resistant
- Easy To Clean Quick & Easy To Instal
- right tray & left tray

Sink depth 250 mm

Steel thickness 12 mm

Rolling dish drying rack

· Fruit washing basket

PRODUCTS Kitchen Faucet & Sink 45



KAMBIN098

Measurements (in mm)

Dimensions 980x500 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 250 mm
- Steel thickness 12 mm
- Movable basin
- Fruit washing basket
 Rolling dish drying rack
 soap dispenser pump
 Flushmount



KAMBIN088

Measurements (in mm)

Dimensions 880*500 mm

Features

- Handmade sink Aisi 304 Stainless Steel Sound Deadening Technology Corrosion & Rust Resistant
- Easy To Clean • Quick & Easy To Instal
- Sink depth 250 mm Steel thickness 12 mm
- Movable basin
- Fruit washing basketRolling dish drying racksoap dispenser pump
- Flushmount



COPPER80

Measurements (in mm)

Dimensions 800x500 mm


Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology · Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal Sink depth 250 mm
- Steel thickness 12 mm
- Fruit washing basket
- Rolling dish drying rack soap dispenser pump
- Flushmount











COMBI



MBRC 430 GE



MBR 110 GE

600

597

597

545

819⁷⁰


A=100

B=170


600

600


MGBM 26XGE - MGBM 2808XGE




WARMING DRAWERS




GBH 915 GB 81 GE - MGBH 915 GB 82 GE




MGBH 905 GB 88 GE - MGBH 905 GB 75 GE MGBH 915 XS 52 GE - MGBH 915 XS 53 GE




SIDE BY SIDE




MBF 250 GE - MBR 350 GE




MBF 260 XGE - MBR 360 XGE



MGBH 604 GB 86 GE - MGBH 604 XS 29 GE




MGBH 302 GB 83 GF - MGBH 302 XS 21 GE




48 INSTALLATION DIAGRAMS


WASHING MACHINE






DISHWASHER







A TOUCH OF LUXURY

